



RM	Brand	Location	Zone	Rank	Yield	Silage Attribute	Plot Average	Advantage
90	HiDF-3044Q	Presque Isle	Zone 4 - Early 2020	1 of 17	3480	M/T	3356	124
90	HiDF-3044Q	Presque Isle	Zone 4 - Early 2020	3 of 17	32,622	M/A	31,175	1,447
90	HiDF-3044Q	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	4 of 17	3517	M/T	3449	68
95	DS-3715AM	Huron	Zone 2-3 - Early 2019-20	1 of 9	37,465	M/A	34,180	3,285
95	DS-3715AM	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	1 of 9	41,165	M/A	36,133	5,032
95	DS-3715AM	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	1 of 9	** 11.7	T/A	10.9	0.8
95	DS-3715AM	Ottawa	Zone 2-3 - Early 2019-20	1 of 9	44,866	M/A	38,087	6,779
95	DS-3715AM	Ottawa	Zone 2-3 - Early 2019-20	1 of 9	** 13.2	T/A	11.9	1.3
95	DS-3715AM	Iosco/Osceola/Presque Isle	Zone 4 - Early 2019-20	1 of 5	3430	M/T	3341	89
95	DS-3715AM	Presque Isle	Zone 4 - Early 2019-20	1 of 5	3430	M/T	3335	95
95	DS-3715AM	Huron	Zone 2-3 - Early 2019-20	2 of 9	* 10.2	T/A	9.9	0.3
95	DS-3715AM	Huron	Zone 2-3 - Early 2020	2 of 31	3794	M/T	3685	109
95	DS-3715AM	Iosco	Zone 4 - Early 2020	2 of 17	3666	M/T	3542	124
95	DS-3715AM	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	2 of 17	3546	M/T	3449	97
95	DS-3715AM	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	3 of 17	* 9.1	T/A	8.6	0.5
95	DS-3715AM	Presque Isle	Zone 4 - Early 2020	3 of 17	* 9.7	T/A	9.2	0.5
95	DS-3715AM	Presque Isle	Zone 4 - Early 2020	4 of 17	3427	M/T	3356	71
95	DS-3715AM	Huron	Zone 2-3 - Early 2020	5 of 31	36,717	M/A	34,809	1,908
95	DS-3715AM	Iosco	Zone 4 - Early 2020	5 of 17	30,782	M/A	28,238	2,544
95	DS-3715AM	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	5 of 17	31,410	M/A	29,707	1,703
95	DS-3715AM	Ingham	Zone 2-3 - Early 2020	6 of 31	3632	M/T	3571	61
97	HiDF-3197RA	Huron	Zone 2-3 - Early 2019-20	1 of 9	3566	M/T	3463	103
97	HiDF-3197RA	Huron	Zone 2-3 - Early 2020	1 of 31	3804	M/T	3685	119
97	HiDF-3197RA	Iosco/Osceola/Presque Isle	Zone 4 - Early 2019-20	1 of 5	41,561	M/A	37,409	4,152
97	HiDF-3197RA	Presque Isle	Zone 4 - Early 2019-20	1 of 5	41,561	M/A	37,793	3,768
97	HiDF-3197RA	Presque Isle	Zone 4 - Early 2019-20	1 of 5	** 12.9	T/A	11.4	1.5
97	HiDF-3197RA	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	1 of 17	** 9.6	T/A	8.6	1.0
97	HiDF-3197RA	Presque Isle	Zone 4 - Early 2020	1 of 17	** 10.3	T/A	9.2	1.1
97	HiDF-3197RA	Huron	Zone 2-3 - Early 2019-20	2 of 9	* 10.2	T/A	9.9	0.3
97	HiDF-3197RA	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	2 of 9	38,865	M/A	36,133	2,732
97	HiDF-3197RA	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	2 of 9	3415	M/T	3356	59
97	HiDF-3197RA	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	2 of 9	* 11.4	T/A	10.9	0.5
97	HiDF-3197RA	Ottawa	Zone 2-3 - Early 2019-20	2 of 9	41,671	M/A	38,087	3,584
97	HiDF-3197RA	Ottawa	Zone 2-3 - Early 2019-20	2 of 9	* 12.6	T/A	11.9	0.7
97	HiDF-3197RA	Iosco	Zone 4 - Early 2020	2 of 17	* 8.9	T/A	8.0	0.9
97	HiDF-3197RA	Huron	Zone 2-3 - Early 2019-20	3 of 9	36,059	M/A	34,180	1,879

\*\* Highest Yielding Hybrid

\* Not Significantly Different from Highest Yielding Hybrid



RM	Brand	Location	Zone	Rank	Yield	Silage Attribute	Plot Average	Advantage
97	HiDF-3197RA	Ingham	Zone 2-3 - Early 2020	4 of 31	* 7.8	T/A	7.2	0.6
97	HiDF-3197RA	Iosco	Zone 4 - Early 2020	4 of 17	31,309	M/A	28,238	3,071
97	HiDF-3197RA	Iosco/Osceola/Presque Isle	Zone 4 - Early 2020	4 of 17	31,719	M/A	29,707	2,012
97	HiDF-3197RA	Ottawa	Zone 2-3 - Early 2020	7 of 31	40,047	M/A	37,793	2,254
99	HiDF-3099RA	Ottawa	Zone 2-3 - Early 2019-20	2 of 9	3329	M/T	3248	81
99	HiDF-3099RA	Iosco	Zone 4 - Late 2020	2 of 9	* 8.2	T/A	7.9	0.3
99	HiDF-3099RA	Iosco/Osceola/Presque Isle	Zone 4 - Late 2020	3 of 9	9.0	T/A	8.9	0.1
102	HiDF-3802Q	Branch	Zone 1 - Early 2019-20	1 of 5	3670	M/T	3515	155
102	HiDF-3802Q	Huron	Zone 2-3 - Early 2020	1 of 31	38,100	M/A	34,809	3,291
102	HiDF-3802Q	Ottawa	Zone 2-3 - Early 2020	1 of 31	43,486	M/A	37,793	5,693
102	HiDF-3802Q	Ottawa	Zone 2-3 - Early 2020	1 of 31	** 12.4	T/A	11.3	1.1
102	HiDF-3802Q	Branch	Zone 1 - Early 2019-20	2 of 5	37,511	M/A	35,057	2,454
102	HiDF-3802Q	Branch	Zone 1 - Early 2019-20	2 of 5	* 10.6	T/A	10.1	0.5
102	HiDF-3802Q	Branch/Lenawee/Wood	Zone 1 - Early 2019-20	2 of 5	* 9.4	T/A	9.3	0.1
102	HiDF-3802Q	Branch	Zone 1 - Early 2020	2 of 28	3683	M/T	3567	116
102	HiDF-3802Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	2 of 28	3695	M/T	3603	92
102	HiDF-3802Q	Huron	Zone 2-3 - Early 2019-20	2 of 9	36,290	M/A	34,180	2,110
102	HiDF-3802Q	Huron/Ingham/Ottawa	Zone 2-3 - Early 2020	2 of 31	35,022	M/A	32,811	2,211
102	HiDF-3802Q	Wood	Zone 1 - Early 2020	3 of 28	3695	M/T	3586	109
102	HiDF-3802Q	Huron/Ingham/Ottawa	Zone 2-3 - Early 2019-20	3 of 9	36,825	M/A	36,133	692
102	HiDF-3802Q	Ottawa	Zone 2-3 - Early 2019-20	3 of 9	3319	M/T	3248	71
102	HiDF-3802Q	Ingham	Zone 2-3 - Early 2020	3 of 31	3674	M/T	3571	103
102	HiDF-3802Q	Ottawa	Zone 2-3 - Early 2020	3 of 31	3513	M/T	3373	140
102	HiDF-3802Q	Huron/Ingham/Ottawa	Zone 2-3 - Early 2020	4 of 31	* 9.7	T/A	9.3	0.4
102	HiDF-3802Q	Huron	Zone 2-3 - Early 2020	5 of 31	* 9.9	T/A	9.4	0.5
102	HiDF-3802Q	Wood	Zone 1 - Early 2020	6 of 28	28,384	M/A	27,288	1,096
102	HiDF-3802Q	Huron/Ingham/Ottawa	Zone 2-3 - Early 2020	7 of 31	3609	M/T	3543	66
105	HiDF-4545Q	Branch/Lenawee/Wood	Zone 1 - Early 2019-20	1 of 5	3668	M/T	3548	120
105	HiDF-4545Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	1 of 28	** 8.4	T/A	7.9	0.5
105	HiDF-4545Q	Lenawee	Zone 1 - Early 2020	1 of 28	30,899	M/A	25,547	5,352
105	HiDF-4545Q	Lenawee	Zone 1 - Early 2020	1 of 28	** 8.2	T/A	6.9	1.3
105	HiDF-4545Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	1 of 21	38,481	M/A	34,869	3,612
105	HiDF-4545Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	1 of 21	** 10.7	T/A	10.0	0.7
105	HiDF-4545Q	Ingham	Zone 2-3 - Late 2020	1 of 21	35,949	M/A	30,494	5,455
105	HiDF-4545Q	Ottawa	Zone 2-3 - Late 2020	1 of 21	** 12.7	T/A	11.4	1.3
105	HiDF-4545Q	Lenawee	Zone 1 - Early 2020	2 of 28	3779	M/T	3655	124

\*\* Highest Yielding Hybrid

\* Not Significantly Different from Highest Yielding Hybrid



RM	Brand	Location	Zone	Rank	Yield	Silage Attribute	Plot Average	Advantage
105	HiDF-4545Q	Ingham	Zone 2-3 - Late 2020	2 of 21	* 9.3	T/A	8.5	0.8
105	HiDF-4545Q	Ottawa	Zone 2-3 - Late 2020	2 of 21	43,113	M/A	38,351	4,762
105	HiDF-4545Q	Branch	Zone 1 - Early 2020	3 of 28	3633	M/T	3567	66
105	HiDF-4545Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	3 of 28	3686	M/T	3603	83
105	HiDF-4545Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	4 of 28	30,539	M/A	28,407	2,132
105	HiDF-4545Q	Huron	Zone 2-3 - Late 2020	4 of 21	3650	M/T	3600	50
105	HiDF-4545Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	4 of 21	3559	M/T	3508	51
105	HiDF-4545Q	Ottawa	Zone 2-3 - Late 2020	4 of 21	3385	M/T	3358	27
105	HiDF-4545Q	Wood	Zone 1 - Early 2020	5 of 28	3646	M/T	3586	60
105	HiDF-4545Q	Ingham	Zone 2-3 - Late 2020	5 of 21	3640	M/T	3566	74
109	HiDF-4999Q	Branch	Zone 1 - Early 2020	1 of 28	3745	M/T	3567	178
109	HiDF-4999Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	1 of 28	3730	M/T	3603	127
109	HiDF-4999Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	1 of 21	3610	M/T	3508	102
109	HiDF-4999Q	Ingham	Zone 2-3 - Late 2020	1 of 21	3698	M/T	3566	132
109	HiDF-4999Q	Ingham	Zone 2-3 - Late 2020	1 of 21	** 9.4	T/A	8.5	0.9
109	HiDF-4999Q	Wood	Zone 1 - Early 2020	2 of 28	3704	M/T	3586	118
109	HiDF-4999Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	2 of 21	37,353	M/A	34,869	2,484
109	HiDF-4999Q	Ingham	Zone 2-3 - Late 2020	2 of 21	34,694	M/A	30,494	4,200
109	HiDF-4999Q	Ottawa	Zone 2-3 - Late 2020	2 of 21	3494	M/T	3358	136
109	HiDF-4999Q	Branch	Zone 1 - Early 2020	3 of 28	35,590	M/A	32,385	3,205
109	HiDF-4999Q	Branch/Lenawee/Wood	Zone 1 - Early 2020	3 of 28	30,568	M/A	28,407	2,161
109	HiDF-4999Q	Wood	Zone 1 - Early 2020	3 of 28	28,808	M/A	27,288	1,520
109	HiDF-4999Q	Huron/Ingham/Ottawa	Zone 2-3 - Late 2020	3 of 21	* 10.4	T/A	10.0	0.4
109	HiDF-4999Q	Ottawa	Zone 2-3 - Late 2020	3 of 21	41,616	M/A	38,351	3,265
109	HiDF-4999Q	Ottawa	Zone 2-3 - Late 2020	3 of 21	* 11.9	T/A	11.4	0.5
109	HiDF-4999Q	Lenawee	Zone 1 - Early 2020	5 of 28	27,305	M/A	25,547	1,758
109	HiDF-4999Q	Lenawee	Zone 1 - Early 2020	5 of 28	3742	M/T	3655	87
109	HiDF-4999Q	Huron	Zone 2-3 - Late 2020	6 of 21	3638	M/T	3600	38
109	HiDF-4999Q	Branch	Zone 1 - Early 2020	7 of 28	* 9.5	T/A	9.1	0.4
111	HiDF-3211RA	Wood	Zone 1 - Late 2019-20	1 of 4	32,775	M/A	30,308	2,467
111	HiDF-3211RA	Wood	Zone 1 - Late 2019-20	1 of 4	** 9.4	T/A	8.8	0.6
111	HiDF-3211RA	Lenawee	Zone 1 - Late 2020	2 of 17	28,192	M/A	25,532	2,660
111	HiDF-3211RA	Lenawee	Zone 1 - Late 2020	2 of 17	* 7.7	T/A	7.0	0.7

\*\* Highest Yielding Hybrid

\* Not Significantly Different from Highest Yielding Hybrid



RM	Brand	Location	Zone	Rank	Yield	Silage Attribute	Plot Average	Advantage
112	HiDF-5202Q	Lenawee	Zone 1 - Late 2020	1 of 17	28,799	M/A	25,532	3,267
112	HiDF-5202Q	Lenawee	Zone 1 - Late 2020	1 of 17	3740	M/T	3592	148
112	HiDF-5202Q	Branch/Lenawee/Wood	Zone 1 - Late 2020	2 of 17	8.5	T/A	8.1	0.4
112	HiDF-5202Q	Lenawee	Zone 1 - Late 2020	2 of 17	* 7.7	T/A	7.0	0.7
112	HiDF-5202Q	Branch	Zone 1 - Late 2020	3 of 17	37,537	M/A	33,720	3,817
112	HiDF-5202Q	Branch	Zone 1 - Late 2020	3 of 17	* 10.6	T/A	9.7	0.9
112	HiDF-5202Q	Branch/Lenawee/Wood	Zone 1 - Late 2020	3 of 17	30,785	M/A	28,839	1,946
112	HiDF-5202Q	Branch/Lenawee/Wood	Zone 1 - Late 2020	3 of 17	3639	M/T	3554	85
112	HiDF-5202Q	Wood	Zone 1 - Late 2020	5 of 17	3625	M/T	3557	68

\*\* Highest Yielding Hybrid

\* Not Significantly Different from Highest Yielding Hybrid

